

● PRINTER RUSH ●

(PTO ASSISTANCE)

Application : <u>09/909207</u>	Examiner : <u>Horlick</u>	GAU : <u>1637</u>
From : <u>phc</u>	Location : <u>(IDC) FMF FDC</u>	Date : <u>7/12/05</u>
Tracking # : <u>06118477</u>		Week Date : <u>6/20/05</u>

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input type="checkbox"/> Other
<input type="checkbox"/> DRW	_____	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input checked="" type="checkbox"/> SPEC	_____	

[RUSH] MESSAGE: Paper copy of sequence listing is in the new format and electronic copy received is in the old format. The two must match.

Thank you.

[XRUSH] RESPONSE: Sequence listing has been corrected to new format.

GB

GARY BENZION, PH.D.
SUPERVISORY PATENT EXAMINER

INITIALS:

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.
REV 10/04